

for more information, please contact us:



UD. SUMBER REJEKI (balicoolers.com)

THE BEST PROVIDER FOR YOUR REFRIGERATION AND KITCHEN EQUIPMENT

HEAD OFFICE AND SHOWROOM

Jl. Gatot Subroto Barat No. 439 Denpasar Bali

081338999983 (HP / WA / SMS)

sumberrejekibali@gmail.com


balicoolers@gmail.com

info@balicoolers.com


Menghangatkan, Memajang makanan siap saji.

TABLE TOP

BERIKUT PAN



⚡ BMC-FP3



⚡ BMC-FP4

Fitur:

- Sneeze Guard menjaga suhu terjaga
- Body Stainless steel
- Thermostat

FREE STANDING w/ CABINET

3 LUBANG



⚡ BM-3

4 LUBANG



⚡ BM-4

TIDAK BERIKUT PAN

Fitur:

- Sneeze Guard agar suhu terjaga
- Body Stainless steel
- Thermostat

Note:

Ruangan di bawah pan harus diisi air
Setiap lubang bisa untuk 1 (satu) unit
Food Pan ukuran 1/1 atau 2 (dua) unit
Food Pan ukuran 1/2

5 LUBANG



⚡ BM-5

6 LUBANG



⚡ BM-6



081338999983

TYPE	DIMENSI (MM) (P x L x T)	WATT (220V/1P)	JUMLAH PAN	BERAT (KG)	ORIGIN
BMC-FP3	1075 x 295 x 290	1.200	3 (FP 1/2-2,5)	13	RRC
BMC-FP4	1395 x 295 x 290	1.400	4 (FP 1/2-2,5)	16	
BM-3	1220 x 760 x 840	2.500	3 full size / 6 half size	38	
BM-4	1525 x 760 x 840	2.500	4 full size / 8 half size	45	
BM-5	1830 x 760 x 840	2.500	5 full size / 10 half size	51	
BM-6	2135 x 760 x 840	2.500	6 full size / 12 half size	58	

Origin : Malaysia

HOT CHOCOLATE DISPENSER



⚡ CHOC-5



Dispenser khusus untuk mengeluarkan minuman coklat panas
Aplikasi : Coffee shop, Pastry shop, Cafe, dll.

Fitur:

- Bain-marie heating mencegah produk terbakar
- Termostat pengatur suhu sesuai kebutuhan
- Anti-penyumbatan keran
- Stainless steel boiler, dengan isolasi termal
- Bowl mudah dibersihkan
- Kaki anti slip
- Nampan
- Pengukur volume
- Temperature ~80°C

TYPE	DIMENSI (MM) (PxLxT)	VOLUME (L)	WATT (220V/1P)	BERAT (KG)	ORIGIN
CHOC-5	410 x 280 x 465	5	1.000	8,8	RRC

CHOCOLATE FOUNTAIN

Mesin pemancur coklat (dari coklat batangan khusus kemudian diencerkan dengan pemanas, lalu disirkulasikan) sehingga membentuk coklat encer punden berundak yang menutupi seluruh susunan (tersedia 5 susun dan 6 susun) sehingga tampak menarik perhatian pengunjung.
Biasa digunakan untuk penyajian coklat Foundue (mencelupkan buah, biskuit, ice cream, kue lapis, manisan buah, ke pancuran coklat) sehingga lezat saat disantap.

5 Susun



⚡ ET-CF-51

6 Susun



⚡ SC-Q06

081338999983



TYPE	DIMENSI (MM) (PxLxT)	KAPASITAS (L)	WATT (220V/1P/50Hz)	TEMPERATUR (°C)	BERAT (KG)	ORIGIN
ET-CF-51	330 x 330 x 613	3	210 W	30 ~ 60	5,8	RRC
SC-Q06	360 x 360 x 820	6	280 W	30 ~ 150	8	

Mesin untuk melunakkan/mencairkan coklat untuk memudahkan proses pelapisan, pengisian ke roti, pencetakan permen coklat ke mould, dll.

Mohon konsultasikan dengan supplier bahan coklat untuk mendapat jenis yang cocok supaya mendapatkan hasil terbaik.



Contoh Hasil Cetakan Coklat



⚡ **SG-08**

⚡ **SG-15**

Meja Getar



⚡ **SG-30**



081338999983

*) SG-30 sudah dilengkapi meja getar untuk menghindari coklat berongga (isi udara)

TYPE	DIMENSION (MM)			CAPACITY (Kg)	HEATER OUTPUT	VOLTAGE	WEIGHT (KG)	ORIGIN
	P	L	T					
SG-08	435	510	480	8	300 W	220V/1P/50Hz	29	RRC
SG-15	560	600	590	15	500 W		40	
SG-30	880	650	1190	30	1500 W	380V/1P/50Hz	100	

1



2



3



Fungsi utama mesin ini :

1. Melapisi film, memberi warna, memoles pada tablet permen / obat
2. Melapisi gula cair pada kacang
3. Melapisi coklat pada kacang (Optional sprayer)


Fitur:

- Panci berputar pelan untuk pemeratakan pencampuran sempurna
- Tiupan hawa panas sebelum proses pelapisan agar mempercepat proses pelekatan
- Body dari Stainless steel




Sprayer untuk pelapis

Sprayer sudah dilengkapi pemanas untuk mencegah penggumpalan coklat



SERI BY

081338999983



MODEL	DIMENSI (CM)			Ø COATING DRUM (MM)	CAPACITY (Kg/time)	SPEED (rpm)	POWER (WATT)			WEIGHT (KG)	ORIGIN
	P	L	T				Motor	Fan	Heat		
BY-200	50	35	70	200	1	46	370	75	1200	36	RRC
BY-300	50	35	70	300	2	46	370	75	1200	37	
BY-400	50	40	80	400	5	46	370	75	1200	38	
BY-600	80	60	90	600	15	36	750	60	2000	85	
BY-800	100	80	143	800	30~50	36	1500	120	2000	205	
BY-1000	110	100	156	1000	50~70	32	1500	120	3000	220	
BY-1250	125	120	182	1250	80~150	28	3000	180	5000	350	
BY-1500	150	150	198	1500	300~400	26	5500	370	6000	600	

Coffee Grinder



BRASIL

Features:

- Speed rpm 1300 ~ 1650
- Adjustment Of Coffee Grinding
- Single Mould ABS Basy
- With No Loss Of Aroma
- Vibration-free In Unbreakable Material
- Ergonomic Handle
- Universal Coffee Press (rotary)
- Dispenser With Seal-saving System
- Dispenser adjustment : 5 Gr. - 12 Gr.
- Maximum continuous service time : 30 Min
- Motor equipped with thermal protector
- Tempered steel grinding wheels, 60 MM



TYPE	DIMENSI (MM)			KAPASITAS		WATT (220V/1P)	BERAT (KG)	ORIGIN
	P	L	T	Dispenser	Hoper			
BRASIL	210	355	450	300 Gr	1 Kg	275	11	SPAIN

Water Filter + Softener



LT-12

Tabung terbuat dari stainless steel anti karat, direkomendasikan untuk mesin Espresso/Cappuccino agar tanki tidak berkerak.

TYPE	DIMENSI (MM)		VOLUME (L)	ORIGIN
	Ø	T		
LT-12	190	490	12	ITALY



081338999983

Wood Inox Tamper



D-57



TYPE	DIMENSI Ø	ORIGIN
D-57	57 MM	

AUTOMATIC MILK FROTHER



MMF-005



Mesin pembuat busa susu untuk cappuccino yang mempunyai 3 fungsi :

- Hot Milk, untuk memanaskan susu (sedikit busa suhu $\pm 80^{\circ}\text{C}$)
- Cold Froth, untuk membuat busa susu dari susu dingin (suhu $\pm 65^{\circ}\text{C}$)
- Hot dan Froth untuk memanaskan susu, sekaligus membuat busa susu ($\pm 80^{\circ}\text{C}$)

TYPE	DIMENSI(MM) (P x L x T)	KAPASITAS	WAKTU (Detik)	WATT (220V/1P)	ORIGIN
MMF-005	103 x 103 x 183	115 ML (busa susu dingin)	65	500	RRC
		115 ML (busa susu panas)	80- 90		
		240 ML (busa susu panas)	130 - 140		

COFFEE / TEA WARMER

Untuk menghangatkan kopi / minuman teh



CM-0521

DECANTER



TYPE	DIMENSI (MM) P x L x T	DAYA (W)	BERAT (KG)	ORIGIN
CM-0521	390 x 200 x 85	300/1P	4,5	RRC
DECANTER	Ø160 x 170	-	0,25	

ELECTRIC COFFEE / TEA MAKER

U/ memasak minuman kopi, teh, dan merebus air panas



CP10



CP15



TYPE	DIMENSI (MM) P x L x T	VOLUME (L)	WATT (220V/1P)	ORIGIN
CP10	330 x 330 x 560	10	1520	RRC
CP15	330 x 330 x 600	15	1520	

Espresso & Cappuccino Machine

A unique design based on vintage machines. Strong & beautiful.



081338999983

ANJURAN
WATER FILTER

Features:

- Adjustable touch panel settings
- S/s steam pipes, front panel & body
- Anti-splash hot water outlet
- Automatic boiler fill
- Heating element protector
- Internal motor and pump
- Stylish & Back-lit Touch pads
- Filter holder & Cup Warming Grid



IB7-1G



IB7-2G



TYPE	DIMENSION (MM)			BOILER CAPACITY	HEATING ELEMENT	VOLTAGE	STEAM OUTLET	WEIGHT (KG)	ORIGIN
	P	L	T						
IB7-1G	445	508	460	6 L	1.800 W	220V/1P/50Hz	1	37	SPAIN
IB7-2G	695	508	460	10.5 L	3.000 W	220V/1P/50Hz	2	61	

CREPES BAKER

ELECTRIC



GAS LOW PRESSURE



Fitur:

- Stainless steel
- Cook plate teflon coating Ø400 mm
- Round base
- Spatula
- Temperature: 60 ~ 300°C



TYPE	DIMENSI (MM) (P x L x T)	HEAD (MM)	POWER	BERAT (KG)	ORIGIN
ECM-410	400 x 400 x 185	Ø 400	3.000(220V/1P)	16	RRC
GCM-410R	400 x 400 x 185	Ø 400	8.900 BTU	16	

EGG HOT DOG BAKER



ET-DC10

Fitur:

- 10 Individual Switch
- Teflon Coated



TYPE	DIMENSI (MM) (P x L x T)	POWER	BERAT (KG)	ORIGIN
ET-DC10	415 x 55 x 236	1.400(220V/1P)	3.9	RRC

HOT DOG BAKER

Mesin untuk memanggang Hot Dog dan Sosis



ET-R2-7

Fitur:

- 7 roller stainless steel
- Heater di dalam roller



081338999983



RG-11X

Fitur:

- 11 roller
- Heater di nampan teflon

TYPE	DIMENSI (MM) (PxLxT)	WATT	BERAT (KG)	ORIGIN
ET-R2-7	585 x 330 x 200	1.400	12,5	RRC
RG-11X	553 x 475 x 221	1.100	13	

BUN WARMER



EB-32W



Contoh aplikasi



TYPE	DIMENSI (MM) (PxLxT)	WATT (220V/1P)	BERAT (KG)	ORIGIN
EB-32W	590 x 540 x 290	450 W	21	RRC

DORAYAKI BAKER

GAS LOW PRESSURE



FY-9A

ELECTRIC



FY-9



FY-32R



TYPE	DIMENSI (MM) (P x L x T)	POWER	WEIGHT (KG)	ORIGIN
FY-9A	450 x 365 x 200	11.000 BTU	13	RRC
FY-9	420 x 360 x 200	2.500 W (220V/1P)	12	
FY-32R	620 x 220	2 x 22.000 BTU	16	



081338999983

TAKOYAKI BAKER

GAS (LOW PRESSURE)



HRW-767

ELECTRIC

- Satu papan isi 28 pcs
- Diameter Tokoyaki 40 mm



ET-YW-2

GAS (LOW PRESSURE)

- Satu papan isi 28 pcs
- Diameter Tokoyaki 40 mm



ET-RYW-2

TYPE	DIMENSI (MM) (P x L x T)	POWER	VOLTAGE	BERAT (KG)	ORIGIN
HRW-767	460 x 500 x 240	2 x 11.000 BTU	-	12	RRC
ET-YW-2	495 x 560 x 240	2 x 2000 W	220V/1P/50Hz	18	
ET-RYW-2	495 x 525 x 255	2 x 11.000 BTU	-	18	

EGG WAFFLE BAKER

ELECTRIC



SC-X30

GAS



SC-X36



Body stainless steel

TYPE	DIMENSI (MM) (P x L x T)	POWER	BERAT (KG)	ORIGIN
SC-X30	450 x 240 x 250	1400W(220V/1P)	6	RRC
SC-X36	450 x 240 x 250	5.000 BTU	6.5	

FISH WAFFLE BAKER GAS

Body stainless steel



SC-KR5



Ikan Mulut Terbuka



SC-DY22



Ikan Mulut Tertutup

TYPE	DIMENSI (MM) (P x L x T)	POWER (BTU/Jam)	BERAT (KG)	ORIGIN
SC-KR5	700 x 410 x 240	2 x 26.000	18	RRC
SC-DY22	700 x 410 x 240	2 x 26.000	14	

WAFFLE BAKER

Diameter Round:
Ø 18 CM



WB-1H

Dimensi Square:
20 x 20 CM



WB-22

Diameter Round:
Ø 21 CM



CB-1H

TYPE	DIMENSI (MM) P x L x T	WATT	VOLTAGE	BERAT (KG)	ORIGIN
WB-1H	360 x 252 x 230	1000	220V/1P/50Hz	6	RRC
WB-22	465 x 380 x 320	1500	220V/1P/50Hz	19,5	
CB-1H	250 x 450 x 300	1000	220V/1P/50Hz	8,2	

Aplikasi:

Restoran, Hotel, Kantin, Pabrik-pabrik dll.

ELECTRIC WATER BOILER

DIRECT CONNECT TO WATER TAP

Fitur:

- Body stainless steel
- Automatic water valve
- Auto Flooding Water
- Indicator water level and lack water

Fitur:

- Body stainless steel
- Automatic water valve
- Thermometer analogue
- Indicator water level and lack water

- Keep temperature function
- Knock-down can
- Simple operation
- Direct Piping



ANJURAN
WATER FILTER



WBTK-8L



HK-10G



KSQ-3



KSQ-6



KSQ-9

TYPE	DIMENSI (MM) P x L x T	VOLUME (L)	POWER	VOLTAGE	BERAT (KG)	ORIGIN
WBTK-8L	180 x 250/400 x 630	8	1.800 W	220 V / 50 Hz / 1 P	16	RRC
HK-10G	190 x 250/410 x 630	10	2.000 W	220 V / 50 Hz / 1 P	18	
KSQ-3	405 x 360 x 740	28	3.000 W	220 V / 50 Hz / 1 P	11	
KSQ-6	405 x 360 x 840	35	6.000 W	380 V / 50 Hz / 3 P	13	
KSQ-9	450 x 400 x 920	50	9.000 W	380 V / 50 Hz / 3 P	15	

CYLINDER WATER BOILER

Fitur:

- Temperature control
- Water level indicator
- Boiled & keep warm signal
- Tabung stainless steel untuk merebus air



081338999983

Aplikasi:

Restoran, Hotel, Kantin, Kafe dll.



ANJURAN
WATER FILTER



WB-10



WB-20



WB-30



WB-40



ELEMEN PEMANAS

TYPE	DIMENSI (MM) Ø x T	VOLUME (L)	POWER	VOLTAGE	BERAT (KG)	ORIGIN
WB-10	290 x 405	10	2000 W	220V/50Hz/1P	2.7	RRC
WB-20	310 x 523	20	2500 W	220V/50Hz/1P	3.8	
WB-30	390 x 420	30	3000 W	220V/50Hz/1P	4.2	
WB-40	390 x 523	40	3000 W	22 V/50Hz/1P	4.5	

FRONT & REAR SLIDING DOOR



RTR-96L

RTR-136L

Fitur :

- Adjustable temperature control
- Tempered glass
- High output bright LED lighting
- Temperature Display
- Adjustable shelves
- High humidity
- Temperature display
- Water pan

TYPE	DIMENSI (MM) (P x L x T)	VOLUME (L)	WATT (220V/1P)	TEMP. (°C)	BERAT (KG)	ORIGIN
RTR-96L	674 x 484 x 662	96	1.000	30 ~ 70	33.5	RRC
RTR-136L	915 x 484 x 662	136	1.100	30 ~ 70	41.5	RRC

REAR SLIDING DOOR



RTR-120L

RTR-160L

Fitur :

- Adjustable temperature control
- Tempered glass
- High output bright LED lighting
- Temperature Display
- Adjustable shelves
- High humidity
- Stainless steel kabinet
- Water pan



Isi loyang dengan air

TYPE	DIMENSI (MM) (P x L x T)	VOLUME (L)	WATT (220V/1P)	TEMP. (°C)	BERAT (KG)	ORIGIN
RTR-120L	678 x 568 x 670	120	1.100	30 ~ 70	48	RRC
RTR-160L	856 x 568 x 670	160	1.500	30 ~ 70	56	

HOT DISPLAY CABINET



Fitur :

- LED Light on Top
- Digital Temperature Controller & Display
- Adjustable Shelves & Feet
- Front Sliding Door & Back Hinge Doors
- Stainless steel kabinet

TYPE	DIMENSI (MM) (P x L x T)	VOLUME (L)	WATT (220V/1P)	TEMP. (°C)	BERAT (KG)	ORIGIN
RTR-650L	720x620x2000	650	2.200	30 ~ 70	96	RRC

Memanggang Roti tawar , steak, sandwich & sejenisnya

Dimensi Grill:
22x23 CM



⚡ CG-22

Dimensi Grill:
34x23 CM



⚡ CG-34



Fitur:

- Ribbed Cast Iron
- Thermostat (0 ~ 250°C)

TYPE	DIMENSI (MM) P x L x T	GRILL SURFACE	WATT (220V/1P)	BERAT (KG)
CG-22	300 x 400 x 230	220x230mm	1.800	13.2
CG-34	430 x 400 x 230	340x230mm	2.000	19

coolers

Dimensi Grill:
26x24CM



⚡ CG-26

Dimensi Grill:
38x28CM



⚡ CG-38

Fitur:

- Handle di plate atas
- Nampan bergerigi
- Thermostat
- Sanded & vetrified cast iron
- Heater atas & bawah
- Non stick cast iron
- Plate atas cukup berat, untuk hasil akhir matangnya merata

TYPE	DIMENSI (MM) P x L x T	GRILL SURFACE	WATT (220V/1P)	BERAT (KG)
CG-26	290 x 400 x 240	260x240 mm	2.000	20
CG-38	410 x 460 x 240	380x280 mm	2.400	27

FAST FOOD DISPLAY WARMER

Untuk menghangatkan produk makanan cepat saji (fast food): Hamburger, Kentang goreng, Ayam goreng, dll.



⚡ HW-2P



⚡ HW-3P

Fitur:

- Pipa air masuk, tandon air dibawah berfungsi untuk mencegah produk yang dipajang menjadi kekeringan (jika tidak dipakai heater bisa dilepas)
- Pintu kaca depan dan belakang (buka atas)
- Lampu
- Kabinet dari Stainless steel
- Thermostat

TYPE	DIMENSI (MM) (P x L x T)	WATT (220V/1P)			BERAT (KG)
		DRY HEATER ATAS	DRY HEATER BAWAH	WET HEATER BAWAH	
HW-2P	960 x 750 x 890	1.400	1.400	1.000	45
HW-3P	1520 x 750 x 890	2.000	2.000	1.200	60

FOOD WARMER CABINET



⚡ EB-10W

Untuk menghangatkan (menjaga semua jenis makanan/masakan agar tetap panas) mudah didorong kemana-mana



081338999983

Fitur:

- Body stainless steel
- Ukuran GN Pan
- Kipas internal agar sirkulasi panas merata
- Pengatur suhu
- Thermometer analog
- Suhu 30 ~ 80°C



TYPE	DIMENSI (MM) (P x L x T)	VOLUME (L)	WATT (220V/1P)	BERAT (KG)
EB-10W	790 x 1020 x 1758	10 x GN 2/1	2.200	208

GAS SALAMANDER TEKANAN GAS RENDAH

Dirancang dengan tungku diatas, memanggang permukaan makanan bagian atas supaya tampak kecoklatan dan lebih menarik, seperti creme brulee



BS-333M



BS-316M

- Pelat dari stainless steel
- Kualitas mutu komponen terbaik
- Ketinggian Panggang dapat diatur dengan tuas
- Tungku Inframerah yang handal
- Nampak minyak



TYPE	DIMENSI (CM) (PxLxT)	DAYA (BTU/jam)	BERAT (KG)
BS-333M	70 x 49 x 57	3 x 20.000	25
BS-316M	89 x 49 x 57	6 x 20.000	30

ELECTRIC SALAMANDER



WYG-843



MODEL	DIMENSI (MM) (P x L x T)	DAYA (220V/1P/50Hz)	BERAT (KG)
WYG-843	600 x 540 x 520	3.000 W	16

CONVEYOR TOASTER



081338999983



ECT-2415



ECT-2450

MODEL	DIMENSI(MM) (P x L x T)	WATT (220V/1P)	LEBAR KONVEYOR	BERAT (KG)
ECT-2415	400 x 420 x 395	1.450	280 MM	11.5
ECT-2450	480 x 420 x 395	2.450	360 MM	15.8

4 SLOT TOASTER

6 SLOT TOASTER



EST4



EST6

MODEL	DIMENSI(MM) (P x L x T)	WATT (220V/1P)	BERAT (KG)
EST4	300 x 225 x 215	1.800	4.5
EST6	430 x 225 x 215	2.500	5.5

HEAVY DUTY BLENDER

Dapat dioperasikan 6 Jam Non Stop



⚡ KS-778

Aplikasi:

- Juice bar untuk membuat smoothy ice
- Dengan kecepatan 26.500 rpm (bisa diatur), Super Blender ini mampu memotong buah/sayur, es batu menjadi sangat halus,

Fitur:

- Die Casting Base
- ON/OFF Switch
- Adjustable Speed
- Pulse Switch, untuk mengangkat buah/es batu yang tersangkut.

TYPE	DIMENSI (MM) (P x L x T)	VOLUME (L)	WATT (220V/1P)	BERAT (KG)	ORIGIN
KS-778	205 x 230 x 510	2	1.500	5.5	RRC

SMOOTHY MACHINE BLENDER



⚡ KS-1050



Fitur:

- Konstruksi kaki kokoh
- Kecepatan 28000 rpm

TYPE	DIMENSI (MM) (P x L x T)	VOLUME (L)	WATT (220V/1P)	BERAT (KG)	ORIGIN
KS-1050	219 x 219 x 490	2	1500~2200	8	RRC



081338999983

PRO COMMERCIAL BLENDER FOR SMOOTHIES ICE



⚡ KS-10000

Fitur :

- Large LCD
- Crush ice completely within 8 seconds
- Profesional sound insulation cover design
- Automatic memory of the last usage programs
- 185 kinds of pro modes
- Automatic Shut Off for Overload Protection
- Unbreakable food-grade pc jar
- Tungsten steel Japan blade
- Speed : 30.000 rpm



TYPE	DIMENSI (MM) (P x L x T)	VOLUME (L)	WATT (220V/1P)	BERAT (KG)	ORIGIN
KS-10000	257 x 230 x 517	2	1.500~2.200	9	RRC

Fitur:

- Pintu sliding kaca (mudah dibersihkan)
- Handle (stay cool)
- Udara hangat lebih merata ke penjuru kabinet
- Bisa menghangatkan makanan
- Thermostat
- Kelembapan tinggi (60~80%)
- Panel depan terbuat dari batu "granit" hitam



H-S530A



H-S540A



H-S550A



H-940



H-950



H-960




081338999983

TYPE	DIMENSI (MM)			VOLUME (L)	TEMPERATURE	WATT (220V/1P/50HZ)	BERAT (KG)	ORIGIN
	PANJANG	LEBAR	TINGGI					
H-S530A	900	540	790	115	40 ~ 75°C	765	80	RRC
H-S540A	1200	540	790	155	40 ~ 75°C	805	95	
H-S550A	1500	540	790	200	40 ~ 75°C	845	110	
H-940	1200	810	1370	470	40 ~ 60°C	1000	340	
H-950	1500	810	1370	600	40 ~ 60°C	1220	400	
H-960	1800	810	1370	730	40 ~ 60°C	1250	460	

TOWEL WARMER

Kabinet untuk memanaskan/menghangatkan handuk.
Aplikasi : Hotel, Tempat Refleksi, Restoran, Sauna, Karaoke.



KD-20S



KD-45S

Fitur:

- Plastic panel frame
- Elegant Handle
- Interior Alluminium
- Plastic arc door
- Right-side opening door

Note:

Handuk harus dalam keadaan basah

TYPE	DIMENSI (MM) (PxLxT)	WATT (220V)	KAPASITAS (Pcs)	VOLUME (L)	BERAT (KG)	ORIGIN
KD-20S	450 x 285 x 330	200	70	20	8.5	RRC
KD-45S	450 x 310 x 595	200 x 2	140	2 x 20	14	

PLATE WARMER

Mesin untuk menghangatkan piring



ST1030

Fitur:

- Individual thermostat
- Castor



ST2030

TYPE	DIMENSI (MM) (PxLxT)	WATT (220V/1P)	KAPASITAS PIRING	ORIGIN
ST1030	450 x 500 x 900	400	20 ~ 30 Pcs	RRC
ST2030	950 x 400 x 900	400 + 400	40 ~ 60 Pcs	



081338999983

DIM SUM TROLLEY (GAS)

For steam Dimsum



**F-0021
LOW PRESSURE**



TYPE	DIMENSI (PxLxT) MM	BTU	ORIGIN
F-0021	900 x 540 x 880	11.000	RRC

DIM SUM TROLLEY

For snack Dimsum



EK-702

TYPE	DIMENSI (MM) (PxLxT)	ORIGIN
EK-702	800 x 480 x 1000	RRC

POP CORN MACHINE



ET-POP6A-R



ET-POP6C



Contoh Aplikasi



ET-POP6A-D

TYPE	DIMENSI (MM)			KAPASITAS PRODUKSI	WATT (220V)	BERAT (KG)	ORIGIN
	P	L	T				
ET-POP6A-R	550	420	770	220 Gram/2 Menit	1.350	24	RRC
ET-POP6C	920	380	830	-	-	10	
ET-POP6A-D	895	415	745	220 Gram/2 Menit	1.730	30	

COMMERCIAL COTTON CANDY

Mesin untuk membuat mesin gulali (permen kapas) dipakai dalam skala komersial



ET-MF-05



Optional Cover



ET-MF-JZ-520



ET-MF01

TYPE	DIMENSI (MM)			KAPASITAS PRODUKSI	WATT (220V)	BERAT (KG)	ORIGIN
	P	L	T				
ET-MF-05	520	750	910	40~60 stik/jam	1.030	20	RRC
ET-MF-JZ-520	520	520	350	Cover	-	-	
ET-MF01	520	520	500	40~60 stik/jam	1.030	13	

PROFESSIONAL



CLT-Q006

Features :

- One Touch Latte, Cappuccino, Espresso, Coffee, Hot Water, Hot Milk Function
- 3.5" Inch Color Touch Screen Operating Interface
- Double Boiler System for Coffee and Steam Separately
- 19 bar ULKA Pump from Italy
- 4 Languages for selection: German, English, French, Chinese
- 3 levels coffee temperature selection Adjustable coffee powder volume and coarseness for every cup coffee
- Removable Milk Tube, Brewing Unit for Easy Maintenance
- Warning Function with language remind all incorrect operations or necessary maintenances
- Milk Frother system self-clean function separately
- LED light for the cup, ON/OFF selection
- Adjustable time to Auto Power-Off, For Energy Saving
- Waste Coffee Tank Capacity : 60 pcs
- Milk Capacity : 600 ML

Button Function



TYPE	DIMENSI (MM)			KAPASITAS		WATT 220V/50Hz/1P	TEKANAN POMPA	BERAT (KG)	ORIGIN
	P	L	T	AIR	BIJI KOPI				
CLT-Q006	540	320	420	2 L	700gr	1.350-1500W	19 bar	13.8	RRC

FULL AUTOMATIC



ME-709

Features :

- NTC temperature control system
- Dual boilers
- Dual stainless steel filters
- Stainless steel drip tray cover plate
- Steel conical grinder blade
- High stability brass tube connector system
- Fully automatic coffee machine with plastic housing
- Grind coffee bean instantly and completely automatically
- Brew aromatic coffee just by pushing a small button
- Easy to operate with LCD display and electronic control
- Hot water and steam ready for use whenever necessary
- Cup pre-warming function
- Cappuccino foam with steam
- Removable water tank
- Removable drip tray
- Warming-up time: 2 minutes
- Coffee output per hour: 80 cups
- Dual overheat protection
- Coffee spout high range : Adjustable (80~110mm)
- Italy pump
- Switzerland flow meter

TYPE	DIMENSI (MM)			KAPASITAS		WATT 220V/50Hz/1P	TEKANAN POMPA	BERAT (KG)	ORIGIN
	P	L	T	AIR	BIJI				
ME-709	415	320	365	1.6 L	200 g	1.250 W	20 bar	12	RRC

SEMI AUTOMATIC



SN-3035L

Features :

- Make espresso, coffee, cappuccino, china tea & froth milk
- Multi language LCD screen
- Use coffee powder & pods (D45mm)
- Use connection rod level to press powder, avoiding the inconvenience of filling power by hand
- Removable water tray & water tank (Max 1.2L)
- The degree of ground fineness is adjustable
- Powder quantity adjustable
- Italy pump: Max pump pressure 20 bar
- Auto ON & Auto OFF function

TYPE	DIMENSI (MM)			KAPASITAS AIR	WATT 220V/50Hz/1P	TEKANAN POMPA	BERAT (KG)	ORIGIN
	P	L	T					
SN-3035L	336	300	380	1.2 L	1.160	20 bar	6.4	RRC



SC-7903E

Features:

- 3 Canister @ 1.6 Kg
- 4 Button Kinds of Drinks
- Adjustable water temperature (68 ~ 98°C)
- Elegant design & Easy operation
- Water supply by gallon or water tap
- Adjustable Taste
- Easy Cleaning & dismantle
- Large Capacity
- Stainless Steel Frame
- Key Lock



TYPE	DIMENSION (MM)			BOILER CAPACITY	RAW BUCKET (Gram)	WATT	VOLTAGE	WEIGHT (KG)	ORIGIN
	P	L	T						
SC-7903E	300	380	630	2.7 L	@1600x3	1.600 W	220V/1P/50Hz	16.5	RRC



SC-71104

Features:

- 4 Canister @1.6 Kg
- 8 Kinds of Drinks
- LED Display Digital Control
- Adjustable water temperature (68 ~ 98°C)
- Elegant design & Easy operation
- Easy Cleaning & Easy to dismantle
- Water supply by gallon or water tap
- Sales Counter
- Adjustable Drink Flavour & Mix
- Adjustable water
- Lighted Canopy for Media Promotion
- Depleted water sensor
- Key Lock



081338999983



TYPE	DIMENSION (MM)			BOILER CAPACITY	RAW BUCKET (Gram)	WATT	VOLTAGE	WEIGHT (KG)	ORIGIN
	P	L	T						
SC-71104	330	435	670	6 L	@1000x4	3.000 W	220V/1P/50Hz	33	RRC

for more information, please contact us:



UD. SUMBER REJEKI (balicoolers.com)

THE BEST PROVIDER FOR YOUR REFRIGERATION AND KITCHEN EQUIPMENT

HEAD OFFICE AND SHOWROOM

Jl. Gatot Subroto Barat No. 439 Denpasar Bali

081338999983 (HP / WA / SMS)

sumberrejekibali@gmail.com

balicoolers@gmail.com

info@balicoolers.com