

for more information, please contact us:



UD. SUMBER REJEKI (balicoolers.com)

THE BEST PROVIDER FOR YOUR REFRIGERATION AND KITCHEN EQUIPMENT

HEAD OFFICE AND SHOWROOM

Jl. Gatot Subroto Barat No. 439 Denpasar Bali

081338999983 (HP / WA / SMS)

sumberrejekibali@gmail.com

balicoolers@gmail.com

info@balicoolers.com

GLASS DOOR FREEZER

Vanda

Fitur:


- Automatic Defrost
- LED Light
- Digital Controller
- Bisa dipasang kombinasi back to back jadi Island
- Refrigerant: R404a



VANDA-2100, VANDA-2500



VANDA HEAD



TYPE	DIMENSI (MM)			VOLUME (L)	WATT	SUHU	BERAT (KG)	ORIGIN
	PANJANG	LEBAR	TINGGI					
VANDA HEAD	1850	850	780	550	470 / 220V	-18 ~ -22	112	RRC
VANDA-2100	2100	850	780	650	470 / 220V	-18 ~ -22	153	
VANDA-2500	2500	850	780	800	540 / 220V	-18 ~ -22	160	

COMBI FREEZER

Diana



081338999983



DIANA-125AN



DIANA-180AN

Fitur:

- Upper Case: Freezer-Ventilated
- Chest: Freezer-Static Cooling
- Internal Light
- Automatic Defrost

TYPE	DIMENSI (MM)			VOLUME (L)		SUHU (°C)		WATT 220V/1P/50Hz	ORIGIN
	P	L	T	UPPER	CHEST	UPPER	CHEST		
DIANA-125AN	1240	916	2004	336	219	0 ~ -22	-18 ~ -22	1250	THAILAND
DIANA-180AN	1820	916	2004	473	333	0 ~ -22	-18 ~ -22	1350	



ANGELICA-200



ANGELICA-250

Fitur:

- Night curtain
- Adjustable shelves
- Digital thermometer
- Shelves lighting

TYPE	DIMENSI (MM)			REFR.	WATT	VOLTAGE	SUHU	BERAT (KG)	ORIGIN
	PANJANG	LEBAR	TINGGI						
ANGELICA-200	1950	890	1580	R404A	1576	220V/1P	4~8°C	200	RRC
ANGELICA-250	2570	890	1580	R404A	1625	220V/1P	4~8°C	300	



IRIS-100



IRIS-125

Fitur:

- Thermostat digital
- Sistem defrost otomatis
- Kompresor Aspera "Embraco"
- Lampu TL pada canopy + rak
- Evap terbuat dari pipa tembaga
- Night curtain
- Kemiringan rak bisa diatur
- Sistem pendinginan dengan kipas
- Ketinggian kaki bisa diatur
- Refrigerant: R404a
- Bak drain evaporasi dengan heater (2 x 280W) atau bisa langsung menghubungkan selang drain ke saluran pembuangan u/ hemat energi
- Temperature: +3 ~ +8°C



Drain Pan


081338999983



IRIS-200



IRIS-250



TYPE	DIMENSI (MM)			VOLUME (L)	KONSUMSI LISTRIK (WATT) 220V/1P/50HZ			BERAT (KG)	ORIGIN
	P	L	T		KOMPRESSOR	EVAP HEATER	DRAIN HEATER		
IRIS-100	980	765	1960	755	850	198	2 x 280	180	RRC
IRIS-125	1280	765	1960	1050	900	322	2 x 280	210	
IRIS-200	1935	765	1960	1550	2.050	580	2 x 280	270	
IRIS-250	2560	765	1960	2050	2.450	830	2 x 280	320	

PLUG-IN SEAFOOD COUNTER (PLUG-IN)

Features:

- Body: Full stainless steel
- Adjustable tilting level
- Easy to clean
- Descend model ensures: Crushed ice does not melt and keep fish at fresh condition

- Front panel: Hardened Glass
- Digital Thermostat
- Large display area
- Easy to combine (configure)

Note:

Fish and crushed ice put into separate freezer or cooler box at the end of daily sales

Features:

- 2 Compressors
- Refrigerant: R134a
- Door: Toughened coated glass
- Interior Light
- Thermostat
- Colour: Gray



MANGROVE-120



MANGROVE-180



MANGROVE-240




SC-602BP

TYPE	DIMENSI (MM)			VOLUME (L)	WATT (220V/1P)	TEMPERATUR	BERAT (KG)	ORIGIN
	PANJANG	LEBAR	TINGGI					
MANGROVE-120	1200	1160	1110	75	280	+5 ~ 0 ~ (-2°C)	110	Malaysia
MANGROVE-180	1800	1160	1110	115	375	+5 ~ 0 ~ (-2°C)	160	Malaysia
MANGROVE-240	2400	1160	1110	150	500	+5 ~ 0 ~ (-2°C)	190	Malaysia
SC-602BP	2100	1100	906	602	230 x 2	-5 ~ +5°C	125	RRC


NON REFRIGERATED SEAFOOD COUNTER



SC-120



SC-150



- S/s 304
- Perforated for drainage
- 30 mm PU insulation
- Slanting design for maximum view

TYPE	DIMENSI (MM)			ORIGIN
	P	L	T	
SC-120	1200	700	1150	RRC
SC-150	1500	700	1150	

081 338999983

S/S FRESH FISH CABINET



FISH-550-ID



Termasuk 7 Loyang plastik ukuran 61x40x12 cm



Fungsi:

- Menyimpan ikan/seafood segar sampai 7 hari (tergantung kesegaran ikan waktu disimpan)
- Untuk mencairkan ikan/seafood beku & menjaga pada suhu +2 ~ -7°C supaya daging ikan tidak terasa keras saat diproses untuk ikan panggang/bakar/goreng, dll.
- Lama penyimpanan ikan yang sudah dicairkan + 2~3 hari
- Refrigerant R134a

TYPE	DIMENSI (MM)			VOLUME	WATT (220V/1P/50Hz)	WEIGHT (KG)	ORIGIN
	P	L	T				
FISH-550-ID	700	820	2050	550 L	690 W	130	RRC

REFERENSI PROYEK

GEA®

Plug In Series



081338999983

REFERENSI PROYEK

GEA®

Remote Cabinet



MINI MAGNOLIA



MAGNOLIA



JASMINE LS



ORCHID



COLD ROOM




RACK SYSTEM

CURVE GLASS SERVE COUNTER

Fitur:

- Lampu Interior
- Pintu Sliding belakang
- Pintu depan buka ke atas
- Lampu interior
- Auto Defrost
- Thermostat digital
- Heater pada "water drain"
- Heater pada evaporator
- Double layer glass
- Adjustable feet




HELICONIA-RCA

SERVE OPEN COUNTER

Fitur:

- Thermostat digital
- Heater pada "water drain"
- Heater pada evaporator
- Double layer glass
- Adjustable feet
- Auto Defrost




HELICONIA-LS

TYPE	DIMENSI (MM)			DISPLAY AREA (M ²)	WATT	VOLTAGE	SUHU (°C)	REFR.	ORIGIN
	PANJANG	LEBAR	TINGGI						
HELICONIA RCA-125	1350	1180	1230	1.05	690	220V/50Hz/1P	+2 ~ +8	R404a	RRC
HELICONIA RCA-187	1975	1180	1230	1.6	780	220V/50Hz/1P			
HELICONIA RCA-250	2600	1180	1230	2.1	850	220V/50Hz/1P			
HELICONIA RCA-375	3850	1180	1230	3.2	1.200	220V/50Hz/1P			
HELICONIA LS-125	1350	1180	893	1.05	640	220V/50Hz/1P			
HELICONIA LS-187	1975	1180	893	1.6	720	220V/50Hz/1P			
HELICONIA LS-250	2600	1180	893	2.1	960	220V/50Hz/1P			
HELICONIA LS-375	3850	1180	893	3.2	720 x 2	220V/50Hz/1P			




HIBISCUS RCA

HIBISCUS RCA 1875 (ET -10°C, 1100W)
HIBISCUS RCA 2500 (ET -10°C, 1480W)
HIBISCUS RCA 3750 (ET -10°C, 2200W)
End Panel
Origin: RRC




HIBISCUS LS

HIBISCUS LS 1875 (ET -10°C, 1100W)
HIBISCUS LS 2500 (ET -10°C, 1480W)
HIBISCUS LS 3750 (ET -10°C, 2200W)
End Panel
Origin: RRC



NARCISSUS



A. NARCISSUS NT (CHILLER)

NARCISSUS NT 250 (ET -10°C, 800W)
NARCISSUS NT 375 (ET -10°C, 1100W)

B. NARCISSUS LT (FREEZER)

NARCISSUS LT 250 (ET -30°C, 1100W)
NARCISSUS LT 375 (ET -30°C, 1600W)

End Panel


Origin: RRC




081338999983



ORCHID II 2000 NT-LT



Head Piece



A. ORCHID II - 2000 NT (CHILLER)

ORCHID II 2000NT-250(ET -10°C, 1400W)
ORCHID II 2000NT-375(ET -10°C, 2100W)
ORCHID II 2000NT Head Piece(ET -10°C, 650W)

Optional
Sliding Glass

B. ORCHID II - 2000 LT (FREEZER)


ORCHID II 2000LT-250(ET -30°C, 2180W)
ORCHID II 2000LT-375(ET -30°C, 3100W)
ORCHID II 2000LT Head Piece(ET -30°C, 900W)

End Panel

Origin: RRC

Note :

Kabinet ini belum terpasang mesin (Condensing Unit). Untuk menentukan mesin, kami memerlukan lay-out (tata letaknya). Untuk informasi lebih jelasnya mohon hubungi bagian penjualan kami.




MINI MAGNOLIA ED 250CM (ET -10°C, 2900W)

MINI MAGNOLIA ED 375CM (ET -10°C, 4200W)

Mirror End Panel

Head 1875 (2000W)

Origin: RRC



MAGNOLIA FS 250CM (ET -10°C, 3400W)

MAGNOLIA FS 375CM (ET -10°C, 5200W)


Glass End Panel

Central End

Mirror End Panel

Stopper W.125 x H.6CM

Origin: RRC



MAGNOLIA ED 250CM (ET -10°C, 3850W)



MAGNOLIA ED 375CM (ET -10°C, 5700W)

Glass End Panel

Mirror End Panel

Stopper W.125 x H.6CM

Origin: RRC



ROSE NT-LT

ROSE NT (CHILLER) Temp. +3~+8°C

ROSE NT 3 doors W.187.5cm (ET -10°C, 1000W)

ROSE NT 4 doors W.250cm (ET -10°C, 1200W)


ROSE NT 6 doors W.375cm (ET -10°C, 1800W)

END PANEL

Origin: RRC



081338999988



JASMINE RCA

JASMINE RCA 125 (ET -10°C, 740W)


JASMINE RCA 187.5 (ET -10°C, 1100W)

JASMINE RCA 250 (ET -10°C, 1480W)

JASMINE RCA 375 (ET -10°C, 2200W)

End Panel

Origin: RRC



JASMINE LS

JASMINE LS 125 (ET -10°C, 740W)

End Panel

JASMINE LS 187.5 (ET -10°C, 1100W)

JASMINE LS 250 (ET -10°C, 1480W)

JASMINE LS 375 (ET -10°C, 2200W)

Origin: RRC

Note :

Kabinet ini belum terpasang mesin (Condensing Unit). Untuk menentukan mesin, kami memerlukan lay-out (tata letaknya). Untuk informasi lebih jelasnya mohon hubungi bagian penjualan kami.

for more information, please contact us:



UD. SUMBER REJEKI (balicoolers.com)

THE BEST PROVIDER FOR YOUR REFRIGERATION AND KITCHEN EQUIPMENT

HEAD OFFICE AND SHOWROOM

Jl. Gatot Subroto Barat No. 439 Denpasar Bali

081338999983 (HP / WA / SMS)

sumberrejekibali@gmail.com

balicoolers@gmail.com

info@balicoolers.com